Applicants: Shizuo AKIRA *et al.* Appln. No. 10/088,567

IN THE CLAIMS:

The following listing replaces all prior versions of the claims:

- 1-7. (Canceled)
- 8. (Withdrawn) A receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence.
- 9. (Withdrawn) The protein according to claim 8 comprising the sequence of amino acids shown in Seq. ID No: 2.
- 10. (Withdrawn) The protein according to claim 8 comprising a sequence of amino acids wherein one or more of amino acids are deleted, substituted or added in the sequence of amino acids shown in Seq. ID No: 2.
- 11. (Withdrawn) The protein according to claim 8 comprising the sequence of amino acids shown in Seq. ID No: 4.
- 12. (Withdrawn) The protein according to claim 8 comprising a sequence of amino acids wherein one or more of amino acids are deleted, substituted or added in the sequence of amino acids shown in Seq. ID No: 4.
- 13. (Withdrawn) A fusion protein comprising the protein according to claim 8 fused with a marker protein and/or a peptide tag.
- 14. (Withdrawn) An antibody specifically bound to the protein according to claim 8.
- 15. (Withdrawn) The antibody according to claim 14 which is a monoclonal antibody.
- 16. (Withdrawn) A host cell comprising an expression system expressing the protein according to claim 8.
- 17. (Canceled)
- 18. (Canceled)
- 19. (Canceled)
- 20. (Canceled)
- 21. (Withdrawn) A method of preparing a cell expressing a protein having reactivity against bacterial DNA having an unmethylated CpG sequence characterized in that the DNA according to claim 1 is introduced into a cell wherein a gene function encoding a receptor protein

Applicants: Shizuo AKIRA *et al.*Appln. No. 10/088,567

specifically recognizing bacterial DNA having an unmethylated CpG sequence is destroyed on a chromosome.

- 22. (Withdrawn) A cell expressing a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence obtained by the method of preparing a cell expressing a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence according to claim 21.
- 23. (Withdrawn) A screening method for an agonist or an antagonist of a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence comprising steps of: in vitro culturing a cell expressing a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence in the presence of a target substance, and measuring/evaluating TLR9 activity.
- 24. (Withdrawn) A screening method for an agonist or an antagonist of a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence comprising steps of: administrating a target substance to a non-human animal wherein a gene function encoding a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence is destroyed on a chromosome, and measuring/evaluating TLR9 activity of macrophages or spleen cells obtained from the non-human animal.
- 25. (Withdrawn) A screening method for an agonist or an antagonist of a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence comprising steps of: administrating a target substance to a non-human animal wherein a gene encoding a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence is excessively expressed, and measuring/evaluating TLR9 activity of macrophages or spleen cells obtained from the non-human animal.
- 26. (Withdrawn) A screening method for an agonist or an antagonist of a protein having reactivity against bacterial DNA having the unmethylated CpG sequence according to claim 24 using a mouse as a non-human animal.
- 27. (Withdrawn) An agonist or an antagonist of a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence obtained by the screening method for an agonist or an antagonist of a receptor protein specifically recognizing bacterial DNA having the unmethylated CpG sequence according to claim 23.

Applicants: Shizuo AKIRA *et al.* Appln. No. 10/088,567

28. (Withdrawn) A pharmaceutical composition comprising whole or part of a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence as an active component.

- 29. (Withdrawn) A pharmaceutical composition comprising the agonist or antagonist according to claim 27 as an active component.
- 30. (Withdrawn) A kit used to diagnose a disease in a test DNA sample, which disease is related to the deletion, substitution and/or addition in a sequence of DNA encoding a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence, which kit comprises the DNA according to claim 3.
- 31. (Canceled)
- 32. (Withdrawn) A screening method for an agonist or an antagonist of a protein having reactivity against bacterial DNA having the unmethylated CpG sequence according to claim 25 using a mouse as a non-human animal.
- 33. (Withdrawn) An agonist or an antagonist of a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence obtained by the screening method for an agonist or an antagonist of a receptor protein specifically recognizing bacterial DNA having the unmethylated CpG sequence according to claim 24.
- 34. (Withdrawn) An agonist or an antagonist of a receptor protein specifically recognizing bacterial DNA having an unmethylated CpG sequence obtained by the screening method for an agonist or an antagonist of a receptor protein specifically recognizing bacterial DNA having the unmethylated CpG sequence according to claim 25.
- 35. (Previously presented) A transgenic mouse wherein the genome of the mouse comprises a homozygous inactivation of the Toll-like Receptor 9 (TLR9) allele such that no functional N-terminal fragment of TLR 9 is produced, and wherein macrophages of said mouse exhibit decreased responsiveness to CpG ODN.
- 36. (Canceled)
- 37. (Canceled)
- 38. (New) A cell obtained from the transgenic mouse according to claim 35.